

# **INFORMED CONSENT FOR ZOOM!® ADVANCED TOOTH WHITENING TREATMENT**

## **Lake Orion Family Dentistry**

### **INTRODUCTION**

This information has been given to me so that I can make an informed decision about having my teeth whitened. I may take as much time as I wish to make my decision about signing this informed consent form. I have the right to ask questions about any procedure before agreeing to undergo the procedure. My dentist has informed me that my teeth are discolored and could be treated by in-office whitening (also known as “bleaching”) of my teeth.

### **DESCRIPTION OF THE PROCEDURE**

Zoom! Advanced in-office tooth whitening is a procedure designed to lighten the color of my teeth using a combination of a hydrogen peroxide gel and a specially designed ultraviolet lamp. The Zoom! Advanced treatment involves using the gel and lamp in conjunction with each other to produce maximum whitening results in the shortest possible time. During the procedure, the whitening gel will be applied to my teeth and my teeth will be exposed to the light from the Zoom! Advanced lamp for three (3), 15-minute sessions. During the entire treatment, a plastic retractor will be placed in my mouth to help keep it open and the soft tissues of my mouth (i.e., my lips, gums, cheeks and tongue) will be covered to ensure they are not exposed to either the gel or light. Lip balm (SPF rating: 30+) may also be applied as needed and I will be provided an ultraviolet light filter for my eyes. After the treatment is completed, the retractor and all gel and tissue coverings will be removed from my mouth. Before and after the treatment, the shade of my upper-front teeth will be assessed and recorded.

### **ALTERNATIVE TREATMENTS**

I understand I may decide not to have the Zoom! Advanced treatment at all. However, should I decide to undergo the treatment, I understand there are alternative treatments for whitening my teeth for which my dentist can provide me additional information. These treatments include:

- Whitening Toothpastes/Gels
- Other In-office Whitening Treatments
- Take-Home Whitening Kits

### **COST**

I understand that the cost of my Zoom! Advanced treatment is determined by my dentist. I understand that my dentist will inform me if there are any other costs associated with my Zoom! Advanced treatment.

### **RECOMMENDATIONS FOR OPTIMAL WHITENING RESULTS**

It is the recommendation of Lake Orion Family Dentistry that you should have your teeth professionally cleaned prior to having any whitening procedure performed. During a routine dental prophylaxis, all stain and calculus (tartar) build up is removed from your teeth allowing for optimal results from the Zoom! Advanced. It is also recommended to use MI Paste Plus prior to whitening, and post whitening in the whitening trays provided for you. When used prior to whitening, MI Paste Plus will help alleviate some dental sensitivity that may occur during or after having the Zoom! Advanced whitening procedure.

MI Paste Plus is the latest technology for strengthening and protecting your teeth. By providing important minerals, MI Paste can help condition, protect, and rebuild your tooth surface. Choosing not to have a professional dental prophylaxis or not to use the MI Paste Plus may hinder the results achieved from Zoom! Advanced whitening.

## RISKS OF CONSENT FOR TREATMENT

I also understand that Zoom! Advanced treatment results may vary or regress due to a variety of circumstances. I understand that almost all natural teeth can benefit from Zoom! Advanced whitening treatments and significant whitening can be achieved in most cases. I understand that Zoom! Advanced whitening treatments are not intended to lighten artificial teeth, caps, crowns, veneers or porcelain, composite or other restorative materials and that people with darkly stained yellow or yellow-brown teeth frequently achieve better results than people with gray or bluish-gray teeth. I understand that teeth with multiple colorations, bands, splotches or spots due to tetracycline use or fluorosis do not whiten as well, may need multiple treatments or and may not whiten at all. I understand that teeth with many fillings, cavities may not lighten and are usually best treated with other non-bleaching alternatives. I understand that provisionals or temporaries made from acrylics may become discolored after exposure to Zoom! Advanced treatment.

I understand that Zoom! Advanced treatment is not recommended for pregnant or lactating women, light sensitive individuals, patients receiving PUVA (Psoralen + UVA radiation) or other photochemotherapeutic drugs or treatment, as well as patients with melanoma, diabetes or heart conditions. I understand that the Zoom! Advanced Lamp emits ultraviolet radiation (UVA) and that patients taking any drugs that increase photosensitivity should consult with their physician before undergoing Zoom!Advanced treatment.

### I understand that the results of my Zoom! Advanced Treatment cannot be guaranteed.

I understand that in-office whitening treatments are considered generally safe by most dental professionals. I understand that although my dentist has been trained in the proper use of the Zoom! Advanced whitening system, the treatment is not without risk. I understand that some of the potential complications of this treatment include, but are not limited to:

**Tooth Sensitivity/Pain** – During the first 24 hours after Zoom! Advanced treatment, some patients can experience some tooth sensitivity or pain. This is normal and is usually mild, but it can be worse in susceptible individuals. Normally, tooth sensitivity or pain following a Zoom! Advanced treatment subsides within 24 hours, but in rare cases can persist for longer periods of time in susceptible individuals. People with existing sensitivity, recession, exposed dentin, exposed root surfaces, recently cracked teeth, abfractions (micro-cracks), open cavities, leaking fillings, or other dental conditions that cause sensitivity or allow penetration of the gel into the tooth may find that those conditions increase or prolong tooth sensitivity or pain after Zoom! Advanced treatment. MI Paste can help alleviate sensitivity prior to whitening and after whitening when used in whitening trays.

**Gum/Lip/Cheek Inflammation** – Whitening may cause inflammation of your gums, lips or cheek margins. This is due to inadvertent exposure of a small area of those tissues to the whitening gel or the ultraviolet light. The inflammation is usually temporary which will subside in a few days but may persist longer and may result in significant pain or discomfort, depending on the degree to which the soft tissues were exposed to the gel or ultraviolet light.

**Dry/Chapped Lips** – The Zoom! Advanced treatment involves atleast three, 15-minute sessions during which the mouth is kept open continuously for the entire treatment by a plastic retractor. This could result in dryness or chapping of the lips or cheek margins, which can be treated by application of lip balm, petroleum jelly or Vitamin E cream

**Cavities or Leaking Fillings** – Most dental whitening is indicated for the outside of the teeth, except for patients who have already undergone a root canal procedure. If any open cavities or fillings that are leaking and allowing gel to penetrate the tooth are present, significant pain could result. I understand that if my teeth have these conditions, I should have my cavities filled or my fillings re-done before undergoing the Zoom! Advanced treatment.

**Cervical Abrasion/Erosion** – These are conditions which affect the roots of the teeth when the gums recede and they are characterized by grooves, notches and/or depressions, that appear darker than the rest of the teeth, where the teeth meet the gums. These areas appear darker because they lack the enamel that covers the rest of the teeth. Even if these areas are not currently sensitive, they can allow the whitening gel to penetrate the teeth, causing sensitivity. I understand that if cervical abrasion/erosion exists on my teeth, these areas will be covered with dental dam prior to my Zoom! Advanced treatment.

**Root Resorption** – This is a condition where the root of the tooth starts to dissolve either from the inside or outside. Although the cause of this is still uncertain, I understand that there is evidence that indicates the incidence of root resorption is higher in patients who have undergone root canals followed by whitening procedures.

**Relapse** – After the Zoom! Advanced treatment, it is natural for the teeth that underwent the Zoom! Advanced treatment to regress somewhat in their shading after treatment. This is natural and should be very gradual, but it can be accelerated by exposing the teeth to various staining agents. Treatment usually involves wearing a take-home tray or repeating the Zoom! Advanced treatment. I understand that the results of the Zoom! Advanced treatment are not intended to be permanent and secondary, repeat or take-home treatments may be needed for me to maintain the tooth shade I desire for my teeth.

The safety, efficacy, potential complications and risks of Zoom! Advanced treatment can be explained to me by my dentist and I understand that more information on this will be provided to me upon my request. Since it is impossible to state every complication that may occur as a result of Zoom! Advanced treatment, the list of complications in this form is incomplete.

The basic procedures of Zoom! Advanced treatment and the advantages and disadvantages, risks and known possible complications of alternative treatments have been explained to me by my dentist and my dentist has answered all my questions to my satisfaction.

In signing this informed consent I am stating I have read this informed consent (or it has been read to me) and I fully understand it and the possible risks, complications and benefits that can result from the Zoom! Advanced treatment and that I agree to undergo the treatment as described by my dentist.

## **SIGNATURES**

By signing this document in the space provided I indicate that I have read and understand the entire document and that I give my permission for Zoom! Advanced treatment to be performed on me.

PATIENT'S SIGNATURE \_\_\_\_\_